



Sulfuric Acid Analysis

Number	The title of the experiment	result	Unit	Method type	method number
1	Aluminium	0.20	Mg/kg	Inductively Coupled Plasma	3120B
2	Arsenic	< 0.1	Mg/kg	Inductively Coupled Plasma	3120B
3	Boron	< 0.1	Mg/kg	Inductively Coupled Plasma	3120B
4	Barium	0.10	Mg/kg	Inductively Coupled Plasma	3120B
5	Cadmium	< 0.1	Mg/kg	Inductively Coupled Plasma	3120B
6	Cerium	< 0.1	Mg/kg	Inductively Coupled Plasma	3120B
7	Cobalt	< 0.1	Mg/kg	Inductively Coupled Plasma	3120B
8	Chromium	0.80	Mg/kg	Inductively Coupled Plasma	3120B
9	Cuprum	< 0.1	Mg/kg	Inductively Coupled Plasma	3120B
10	Iron	4.00	Mg/kg	Inductively Coupled Plasma	3120B
11	Mercury	< 0.1	Mg/kg	Inductively Coupled Plasma	3120B
12	Manganese	< 0.1	Mg/kg	Inductively Coupled Plasma	3120B
13	Molybdenum	0.10	Mg/kg	Inductively Coupled Plasma	3120B
14	Nickel	0.50	Mg/kg	Inductively Coupled Plasma	3120B
15	Lead	< 0.1	Mg/kg	Inductively Coupled Plasma	3120B
16	Antimony	< 0.1	Mg/kg	Inductively Coupled Plasma	3120B
17	Selenium	< 0.1	Mg/kg	Inductively Coupled Plasma	3120B
18	Strontium	0.37	Mg/kg	Inductively Coupled Plasma	3120B
19	Tin	0.70	Mg/kg	Inductively Coupled Plasma	3120B
20	Titanium	0.67	Mg/kg	Inductively Coupled Plasma	3120B
21	Thallium	< 0.1	Mg/kg	Inductively Coupled Plasma	3120B
22	Vanadium	0.50	Mg/kg	Inductively Coupled Plasma	3120B
23	Zinc	2.10	Mg/kg	Inductively Coupled Plasma	3120B
24	Density (25°C)	1.840	g/ml	-----	-----
25	Purity	98.39	%	Titrimetric	-----

